Department of Labor and Industry

Adopted Permanent Rules Adopting a Change to the International Residential Code

1309.0311 SECTION R311, MEANS OF EGRESS.

[For text of subp 1, see M.R.]

Subp. 2. **IRC section R311.7.1, Width.** Section R311.7.1 is deleted and replaced with the following:

R311.7.1 Stairways; general.

R311.7.1.1 Stairways serving dwellings or accessory structures. All stairways serving a dwelling or accessory structure, or any part thereof, shall comply with this section. This shall include exterior stairs from a dwelling or garage to grade and those stairs serving decks, porches, balconies, sun rooms, and similar structures.

Exceptions:

1. Stairs serving attics or crawl spaces.
2. Stairs that only provide access to plumbing, mechanical, or electrical equipment.

R311.7.1.2 Width. Stairways shall not be less than 36 inches (914 mm) in clear width at all points above the permitted handrail height and below the required headroom height. Handrails shall not project more than 4.5 inches (114 mm) on either side of the stairway and the minimum clear width of the stairway at and below the handrail height, including treads and landings, shall not be less than 31-1/2 inches (787 mm) where a handrail is installed on one side and 27 inches (698 mm) where handrails are provided on both sides.

Exception: The width of spiral stairways shall be in accordance with Section R311.7.10.1.

[For text of subp 3, see M.R.]

EFFECTIVE DATE. Minnesota Rules, part 1309.0311, subpart 2, is effective January 24, 2017.

Office of the Revisor of Statutes

Administrative Rules

TITLE: Adopted Permanent Rules Adopting a Change to the International Residential Code

AGENCY: Department of Labor and Industry

MINNESOTA RULES: Chapter 1309

RULE APPROVED
OFFICE OF ADMINISTRATIVE HEARINGS
November 30, 2016
Report DATE
ADMINSTRATIVE LAW JUDGE.

FILED
DEC 2016
(MN) SECRETARY OF STATE

The attached rules are approved for
filing with the Secretary of State

Sheree Speer
Senior Assistant Revisor

171 154